



I'm not robot  reCAPTCHA

**Next**

# Immune thrombocytopenia european guidelines

## PLATELET COUNT



original F primer

second F prim

original F primer

second F prim

Table. Diagnostic Criteria for ITP

At Least 2 of the Following	
Palpable purpura	
Age ≤20 y at disease onset	
Abdominal pain or gastrointestinal tract bleeding	
Vessel wall granulocytes on biopsy	

Diagnostic Criteria	Description
Purpura (mandatory)	Purpura or petechiae with lower limb predominance
Plus 1 of the Following	
Abdominal pain	Diffuse and colicky
Histopathology	Leukocytoclastic vasculitis or proliferative glomerulonephritis with predominant IgA deposition
Arthritis or arthralgia	Acute-onset joint pain or swelling
Kidney involvement	Proteinuria or hematuria

## European guidelines immune thrombocytopenia.

Br J Clin Pharmacol. [PMC free article] [PubMed] [Google Scholar]4. [PubMed] [Google Scholar]18. : AIEOP-ITP Study Group . Parodi E, Rivetti E, Amendola G, et al. Wang X, Xu Y, Luo W, et al. 2012;96(1):26-33. A phase 3, randomized, double-blind, placebo-controlled study to determine the effect of romiplostim on health-related quality of life in children with primary immune thrombocytopenia and associated burden in their parents. Changing trends in the UK management of childhood ITP. [PMC free article] [PubMed] [Google Scholar]277. Rituximab as second-line treatment for adult immune thrombocytopenia (the RITP trial): a multicentre, randomised, double-blind, placebo-controlled trial. [PubMed] [Google Scholar]236. Grimaldi-Bensouda L, Michel M, Aubrun E, et al. Patil AS, Dotteders-Katz SK, Metjian AD, James AH, Swamy GK. 1984;64(6):1179-1183. [PubMed] [Google Scholar]185. [PubMed] [Google Scholar]72. Autologous 111 In-labelled platelet sequestration studies in patients with primary immune thrombocytopenia (ITP) prior to splenectomy: a report from the United Kingdom ITP Registry. [PMC free article] [PubMed] [Google Scholar]9. Von Willebrand factor-cleaving protease (ADAMTS13) in thrombocytopenic disorders: a severely deficient activity is specific for thrombotic thrombocytopenic purpura. [PubMed] [Google Scholar]218. Levi M, Toh CH, Thachil J, Watson HG. British Committee for Standards in Haematology. 2009;26(6):484-491. : TIKI Investigators . Mycophenolate mofetil therapy for severe immune thrombocytopenia. Cooper N, Ghanim W, Provan D, et al. 2011;44(3):239-242. J Thromb Thrombolysis. 2009;13(11):2386-2393. [PubMed] [Google Scholar]168. 2010;149(1):79-83. Sanz MA, Aledort L, Mathias SD, Wang X, Isitt JJ. [PMC free article] [PubMed] [Google Scholar]203. Vianelli N, Palandri F, Polverelli N, et al. 2009;94(8):538-540. Alpdogan O, Budak-Alpdogan T, Ratip S, et al. 2018;65(1):e26736. 2015;386(10004):1649-1658. 2015;4(1):145-148. 2008;83(2):122-125. [PubMed] [Google Scholar]210. [PMC free article] [PubMed] [Google Scholar]124. Splenectomy vs. Kjaersgaard M, Eadslev PW, Hasle H. [PubMed] [Google Scholar]246. 2018;57:201. 2012;119(6):1356-1362. Iyer MS, Abdelmaksoud AA, Eltonary KY, Alliance. [PubMed] [Google Scholar]107. 2015;55(10):2505-2510. A case of refractory immune thrombocytopenia in pregnancy managed with eltrombopag. [PubMed] [Google Scholar]6. 2015;134(4):215-228. The course of severe autoimmune thrombocytopenia in patients not undergoing splenectomy. [PubMed] [Google Scholar]81. Blood Coagul Fibrinolysis. Long-term efficacy of partial splenic embolization for the treatment of steroid-resistant chronic immune thrombocytopenia. [PMC free article] [PubMed] [Google Scholar]224. Thrombopoietin: a potential diagnostic indicator of immune thrombocytopenia in pregnancy. Damnik G, Nipunika S, Yasintha C, Jayan SS, Indira W. Clin Appl Thromb Hemost. Fatigue in adult patients with primary immune thrombocytopenia. Thromboembolic events among adult patients with primary immune thrombocytopenia in the United Kingdom General Practice Research Database. [PubMed] [Google Scholar]56. Diagnosis, pathophysiology and management of children with refractory immune thrombocytopenic purpura. CELLCEPT CELLECEPT® (mycophenolate mofetil) capsules, for oral use; CELLCEPT® (mycophenolate mofetil) tablets, for oral use; CELLCEPT® Oral Suspension (mycophenolate mofetil), for oral suspension; CELLCEPT® Intravenous (mycophenolate mofetil) for injection, for intravenous use [prescribing information] South San Francisco, CA: Genentech; 2019. Tran H, Brighton T, Grigg A, et al. [PubMed] [Google Scholar]248. Grace RF, Bennett CM, Ritchey AK, et al. 2003;123(1):142-146. Kottayam R, Rozenberg G, Brighton T, Cohn RJ. A simple technique to determine thrombopoiesis level (TPF). 2016;96(3):269-275. : RITP study group . Efficacy and safety of a new intravenous immunoglobulin 10% formulation (octagam® 10%) in patients with immune thrombocytopenia. Rituximab and dexamethasone vs dexamethasone monotherapy in newly diagnosed patients with primary immune thrombocytopenia. Accessed 15 October 2019. 282. Value Health. J Family Med Prim Care. 2013;90(6):494-500. doi:10.1080/09537104.2019.1615613. PLoS One. [PubMed] [Google Scholar]211. Pasa S, Altintas A, Cil T, Danis R, Ayyildiz O. [PubMed] [Google Scholar]65. [Google Scholar]230. Sports participation in children and adolescents with immune thrombocytopenia (ITP). 2015;62(12):2223-2225. 2012;157(2):259-260. Clinical efficacy and tolerability of vincristine in splenectomized patients with refractory or relapsed immune thrombocytopenia: a retrospective single-center study. Romiplostim safety and efficacy for immune thrombocytopenia in clinical practice: 2-year results of 72 adults in a romiplostim compassionate-use program. Long-term treatment with romiplostim in patients with chronic immune thrombocytopenia: safety and efficacy. 2012;21(14):1571-1574. Rodeghiero F. Faster platelet recovery by high-dose dexamethasone compared with standard-dose prednisolone in adult immune thrombocytopenia: a prospective randomized trial. Platelet transfusion practices in immune thrombocytopenia related hospitalizations. [PubMed] [Google Scholar]42. Scully M, Kaczmarek R, Myers B, Collins R, Emohare O, Bolton-Maggs PH. Gender and duration of disease differentiate responses to rituximab-dexamethasone therapy in adults with immune thrombocytopenia. Saol Therapeutics Inc. Kumar M, Lambert MP, Brakey V, et al. 2015;94(12):1973-1980. Haematologica. [PubMed] [Google Scholar]8. 2013;98(6):875-880. Effect of pregnancy on the course of immune thrombocytopenia: a retrospective study of 118 pregnancies in 82 women. [PMC free article] [PubMed] [Google Scholar]214. Gundry JA, George JN, Vesely SK, Kennison SM, Terrell DR, Michel M, Wasser J, et al. 2009;145(1):24-33. Moulis G, Sallier L, Sommet A, Lapeyre-Mestre M, Derumeaux H, Adoue A. [PubMed] [Google Scholar]228. 2019;185(3):503-513. 2011;94(1):71-80. 1994;86(3):678-680. Naithani R, Mahapatra M, Kumar R, Mishra P, Saxena R. High-dose dexamethasone compared with prednisone for previously untreated primary immune thrombocytopenia: a systematic review and meta-analysis. Rodeghiero F, Stasi R, Gernsheimer T, et al. 2009;53(1):72-77. Kruse C, Kruse A, Watson S, et al. 2002;8(1):73-76. Natekar A, Pupco A, Bozzo P, Koren G, Dash CH, Gillanders KR, Stratford Bobbitt ME, Gascoigne EW, Leach SJ. 2013;98(6):881-887. Trepongkaruna S, Sirachainan N, Kanjanapongkul S, et al. Altintas A, Ozel A, Okur N, et al. Arch Dis Child. Chapin J, Lee CS, Zhang H, Zehnder JL, Bussel JB, Fenaux P, Quiquandon I, Caulier MT, Simon M, Walter MP, Bauters F. Eltrombopag for management of chronic immune thrombocytopenia (RAISE): a 6-month, randomised, phase 3 study. Chakravarty EF, Murray ER, Kelman A, Farmer P. [PubMed] [Google Scholar]238. Splenectomy and the incidence of venous thromboembolism and sepsis in patients with immune thrombocytopenia. [PubMed] [Google Scholar]128. The French Gaucher's disease registry: clinical characteristics, complications and treatment of 652 patients. : ITP Consortium of North America. 2017;191:225-231. 2017;92(6):493-500. Clin Lab Haematol. Spahr JE, Rodgers GM. [PubMed] [Google Scholar]93. Medicine (Baltimore). Transfusion. Pseudothrombocytopenia as a pitfall in the treatment of essential thrombocythemia. 2018;214:559-S139. [PubMed] [Google Scholar]199. 2015;102(3):259-270. A retrospective pilot evaluation of switching thrombopoietic receptor-agonists in immune thrombocytopenia. Newton JL, Reese JA, Watson SI, et al. [PubMed] [Google Scholar]270. [PubMed] [Google Scholar]22. 2016;8(12):1371-1381. Laparoscopic versus open splenectomy in the treatment of idiopathic thrombocytopenic purpura: an Indian experience. Zaja F, Marin L, Chiozzotto M, Pagliss S, Volpetti S, Fani R, Vincristine therapy of idiopathic and secondary thrombocytopenia. [PubMed] [Google Scholar]262. [PubMed] [Google Scholar]117. 1997;7(7):397-398. Steurer M, Quittit P, Papadaki HA, et al. 2009;144(4):552-558. [PubMed] [Google Scholar]216. [Google Scholar]188. : Novoseven Trauma investigators . Despotovic JM, Lambert MP, Herman JH, et al. Long-term follow-up analysis after rituximab therapy in children with refractory symptomatic ITP: identification of factors predictive of a sustained response. 2010;363(20):1889-1899. [PubMed] [Google Scholar]155. [PubMed] [Google Scholar]69. Arnold DM, Nazy I, Clare R, et al. But. [PubMed] [Google Scholar]126. Validity, reliability, and responsiveness of a new measure of health-related quality of life in children with immune thrombocytopenic purpura: the Kids' ITP Tools. 2018;132(suppl 1):1137. 2018;9:369-384. Sarpatwari A, Bennett D, Logie JW, et al. [PMC free article] [PubMed] [Google Scholar]57. Patients with immune thrombocytopenia (ITP) frequently experience severe fatigue but it is under-recognized by physicians: results from the ITP World Impact Survey (I-WISH). Brynes RK, Orazi A, Theodore D, et al. Cines DB, Wasser J, Rodeghiero F, et al. [PubMed] [Google Scholar]148. 2013;121(14):2596-2606. [PMC free article] [PubMed] [Google Scholar]5. Repeated courses of rituximab in chronic ITP: three different regimens. A modern reassessment of glycoprotein-specific direct platelet autoantibody testing in immune thrombocytopenia. Khellaf A, Saleh MN, Salama A, et al. Comparison of anti-D immunoglobulin, methylprednisolone, or intravenous immunoglobulin therapy in newly diagnosed pediatric immune thrombocytopenic purpura. 2017;106(4):625-630. 2017;106(4):508-516. Heitink-Pollé KM, Haverman L, Annink W, Schep SJ, de Haas M, Bruin MC, et al. Trans Assoc Am Physicians. High-dose dexamethasone vs prednisone for treatment of adult immune thrombocytopenia: a prospective multicenter randomized trial. 2010;151(5):477-487. [PubMed] [Google Scholar]46. [PMC free article] [PubMed] [Google Scholar]209. Platelet counts during pregnancy. [PMC free article] [PubMed] [Google Scholar]286. Moudi M, Go R, Yen CY, Nazre M, J Thromb Haemost. A multicenter randomized controlled trial of recombinant human thrombopoietin treatment in patients with primary immune thrombocytopenia. Payen JF, Berthet M, Genty C, et al. Health-related quality of life in adult patients with chronic immune thrombocytopenia in Serbia. [PubMed] [Google Scholar]264. [PubMed] [Google Scholar]17. 1997;7(7):397-398. Steurer M, Quittit P, Papadaki HA, et al. 2009;144(4):552-558. [PubMed] [Google Scholar]216. [Google Scholar]188. : Novoseven Trauma investigators . Despotovic JM, Lambert MP, Herman JH, et al. Long-term follow-up analysis after rituximab therapy in children with refractory symptomatic ITP: identification of factors predictive of a sustained response. 2010;363(20):1889-1899. [PubMed] [Google Scholar]155. [PubMed] [Google Scholar]69. Arnold DM, Nazy I, Clare R, et al. But. [PubMed] [Google Scholar]126. Validity, reliability, and responsiveness of a new measure of health-related quality of life in children with immune thrombocytopenic purpura: the Kids' ITP Tools. 2018;132(suppl 1):1137. 2018;9:369-384. Sarpatwari A, Bennett D, Logie JW, et al. [PMC free article] [PubMed] [Google Scholar]57. Patients with immune thrombocytopenia (ITP) frequently experience severe fatigue but it is under-recognized by physicians: results from the ITP World Impact Survey (I-WISH). Brynes RK, Orazi A, Theodore D, et al. Cines DB, Wasser J, Rodeghiero F, et al. [PubMed] [Google Scholar]148. 2013;121(14):2596-2606. [PMC free article] [PubMed] [Google Scholar]5. Repeated courses of rituximab in chronic ITP: three different regimens. A modern reassessment of glycoprotein-specific direct platelet autoantibody testing in immune thrombocytopenia. Khellaf A, Saleh MN, Salama A, et al. Comparison of anti-D immunoglobulin, methylprednisolone, or intravenous immunoglobulin therapy in newly diagnosed pediatric immune thrombocytopenic purpura. 2017;106(4):625-630. 2017;106(4):508-516. Heitink-Pollé KM, Haverman L, Annink W, Schep SJ, de Haas M, Bruin MC, et al. Trans Assoc Am Physicians. High-dose dexamethasone vs prednisone for treatment of adult immune thrombocytopenia: a prospective multicenter randomized trial. 2010;151(5):477-487. [PubMed] [Google Scholar]46. [PMC free article] [PubMed] [Google Scholar]209. Platelet counts during pregnancy. [PMC free article] [PubMed] [Google Scholar]286. Moudi M, Go R, Yen CY, Nazre M, J Thromb Haemost. A multicenter randomized controlled trial of recombinant human thrombopoietin treatment in patients with primary immune thrombocytopenia. Payen JF, Berthet M, Genty C, et al. Health-related quality of life in adult patients with chronic immune thrombocytopenia in Serbia. [PubMed] [Google Scholar]264. [PubMed] [Google Scholar]17. 1997;7(7):397-398. Steurer M, Quittit P, Papadaki HA, et al. 2009;144(4):552-558. [PubMed] [Google Scholar]216. [Google Scholar]188. : Novoseven Trauma investigators . Despotovic JM, Lambert MP, Herman JH, et al. Long-term follow-up analysis after rituximab therapy in children with refractory symptomatic ITP: identification of factors predictive of a sustained response. 2010;363(20):1889-1899. [PubMed] [Google Scholar]155. [PubMed] [Google Scholar]69. Arnold DM, Nazy I, Clare R, et al. But. [PubMed] [Google Scholar]126. Validity, reliability, and responsiveness of a new measure of health-related quality of life in children with immune thrombocytopenic purpura: the Kids' ITP Tools. 2018;132(suppl 1):1137. 2018;9:369-384. Sarpatwari A, Bennett D, Logie JW, et al. [PMC free article] [PubMed] [Google Scholar]57. Patients with immune thrombocytopenia (ITP) frequently experience severe fatigue but it is under-recognized by physicians: results from the ITP World Impact Survey (I-WISH). Brynes RK, Orazi A, Theodore D, et al. Cines DB, Wasser J, Rodeghiero F, et al. [PubMed] [Google Scholar]148. 2013;121(14):2596-2606. [PMC free article] [PubMed] [Google Scholar]5. Repeated courses of rituximab in chronic ITP: three different regimens. A modern reassessment of glycoprotein-specific direct platelet autoantibody testing in immune thrombocytopenia. Khellaf A, Saleh MN, Salama A, et al. Comparison of anti-D immunoglobulin, methylprednisolone, or intravenous immunoglobulin therapy in newly diagnosed pediatric immune thrombocytopenic purpura. 2017;106(4):625-630. 2017;106(4):508-516. Heitink-Pollé KM, Haverman L, Annink W, Schep SJ, de Haas M, Bruin MC, et al. Trans Assoc Am Physicians. High-dose dexamethasone vs prednisone for treatment of adult immune thrombocytopenia: a prospective multicenter randomized trial. 2010;151(5):477-487. [PubMed] [Google Scholar]46. [PMC free article] [PubMed] [Google Scholar]209. Platelet counts during pregnancy. [PMC free article] [PubMed] [Google Scholar]286. Moudi M, Go R, Yen CY, Nazre M, J Thromb Haemost. A multicenter randomized controlled trial of recombinant human thrombopoietin treatment in patients with primary immune thrombocytopenia. Payen JF, Berthet M, Genty C, et al. Health-related quality of life in adult patients with chronic immune thrombocytopenia in Serbia. [PubMed] [Google Scholar]264. [PubMed] [Google Scholar]17. 1997;7(7):397-398. Steurer M, Quittit P, Papadaki HA, et al. 2009;144(4):552-558. [PubMed] [Google Scholar]216. [Google Scholar]188. : Novoseven Trauma investigators . Despotovic JM, Lambert MP, Herman JH, et al. Long-term follow-up analysis after rituximab therapy in children with refractory symptomatic ITP: identification of factors predictive of a sustained response. 2010;363(20):1889-1899. [PubMed] [Google Scholar]155. [PubMed] [Google Scholar]69. Arnold DM, Nazy I, Clare R, et al. But. [PubMed] [Google Scholar]126. Validity, reliability, and responsiveness of a new measure of health-related quality of life in children with immune thrombocytopenic purpura: the Kids' ITP Tools. 2018;132(suppl 1):1137. 2018;9:369-384. Sarpatwari A, Bennett D, Logie JW, et al. [PMC free article] [PubMed] [Google Scholar]57. Patients with immune thrombocytopenia (ITP) frequently experience severe fatigue but it is under-recognized by physicians: results from the ITP World Impact Survey (I-WISH). Brynes RK, Orazi A, Theodore D, et al. Cines DB, Wasser J, Rodeghiero F, et al. [PubMed] [Google Scholar]148. 2013;121(14):2596-2606. [PMC free article] [PubMed] [Google Scholar]5. Repeated courses of rituximab in chronic ITP: three different regimens. A modern reassessment of glycoprotein-specific direct platelet autoantibody testing in immune thrombocytopenia. Khellaf A, Saleh MN, Salama A, et al. Comparison of anti-D immunoglobulin, methylprednisolone, or intravenous immunoglobulin therapy in newly diagnosed pediatric immune thrombocytopenic purpura. 2017;106(4):625-630. 2017;106(4):508-516. Heitink-Pollé KM, Haverman L, Annink W, Schep SJ, de Haas M, Bruin MC, et al. Trans Assoc Am Physicians. High-dose dexamethasone vs prednisone for treatment of adult immune thrombocytopenia: a prospective multicenter randomized trial. 2010;151(5):477-487. [PubMed] [Google Scholar]46. [PMC free article] [PubMed] [Google Scholar]209. Platelet counts during pregnancy. [PMC free article] [PubMed] [Google Scholar]286. Moudi M, Go R, Yen CY, Nazre M, J Thromb Haemost. A multicenter randomized controlled trial of recombinant human thrombopoietin treatment in patients with primary immune thrombocytopenia. Payen JF, Berthet M, Genty C, et al. Health-related quality of life in adult patients with chronic immune thrombocytopenia in Serbia. [PubMed] [Google Scholar]264. [PubMed] [Google Scholar]17. 1997;7(7):397-398. Steurer M, Quittit P, Papadaki HA, et al. 2009;144(4):552-558. [PubMed] [Google Scholar]216. [Google Scholar]188. : Novoseven Trauma investigators . Despotovic JM, Lambert MP, Herman JH, et al. Long-term follow-up analysis after rituximab therapy in children with refractory symptomatic ITP: identification of factors predictive of a sustained response. 2010;363(20):1889-1899. [PubMed] [Google Scholar]155. [PubMed] [Google Scholar]69. Arnold DM, Nazy I, Clare R, et al. But. [PubMed] [Google Scholar]126. Validity, reliability, and responsiveness of a new measure of health-related quality of life in children with immune thrombocytopenic purpura: the Kids' ITP Tools. 2018;132(suppl 1):1137. 2018;9:369-384. Sarpatwari A, Bennett D, Logie JW, et al. [PMC free article] [PubMed] [Google Scholar]57. Patients with immune thrombocytopenia (ITP) frequently experience severe fatigue but it is under-recognized by physicians: results from the ITP World Impact Survey (I-WISH). Brynes RK, Orazi A, Theodore D, et al. Cines DB, Wasser J, Rodeghiero F, et al. [PubMed] [Google Scholar]148. 2013;121(14):2596-2606. [PMC free article] [PubMed] [Google Scholar]5. Repeated courses of rituximab in chronic ITP: three different regimens. A modern reassessment of glycoprotein-specific direct platelet autoantibody testing in immune thrombocytopenia. Khellaf A, Saleh MN, Salama A, et al. Comparison of anti-D immunoglobulin, methylprednisolone, or intravenous immunoglobulin therapy in newly diagnosed pediatric immune thrombocytopenic purpura. 2017;106(4):625-630. 2017;106(4):508-516. Heitink-Pollé KM, Haverman L, Annink W, Schep SJ, de Haas M, Bruin MC, et al. Trans Assoc Am Physicians. High-dose dexamethasone vs prednisone for treatment of adult immune thrombocytopenia: a prospective multicenter randomized trial. 2010;151(5):477-487. [PubMed] [Google Scholar]46. [PMC free article] [PubMed] [Google Scholar]209. Platelet counts during pregnancy. [PMC free article] [PubMed] [Google Scholar]286. Moudi M, Go R, Yen CY, Nazre M, J Thromb Haemost. A multicenter randomized controlled trial of recombinant human thrombopoietin treatment in patients with primary immune thrombocytopenia. Payen JF, Berthet M, Genty C, et al. Health-related quality of life in adult patients with chronic immune thrombocytopenia in Serbia. [PubMed] [Google Scholar]264. [PubMed] [Google Scholar]17. 1997;7(7):397-398. Steurer M, Quittit P, Papadaki HA, et al. 2009;144(4):552-558. [PubMed] [Google Scholar]216. [Google Scholar]188. : Novoseven Trauma investigators . Despotovic JM, Lambert MP, Herman JH, et al. Long-term follow-up analysis after rituximab therapy in children with refractory symptomatic ITP: identification of factors predictive of a sustained response. 2010;363(20):1889-1899. [PubMed] [Google Scholar]155. [PubMed] [Google Scholar]69. Arnold DM, Nazy I, Clare R, et al. But. [PubMed] [Google Scholar]126. Validity, reliability, and responsiveness of a new measure of health-related quality of life in children with immune thrombocytopenic purpura: the Kids' ITP Tools. 2018;132(suppl 1):1137. 2018;9:369-384. Sarpatwari A, Bennett D, Logie JW, et al. [PMC free article] [PubMed] [Google Scholar]57. Patients with immune thrombocytopenia (ITP) frequently experience severe fatigue but it is under-recognized by physicians: results from the ITP World Impact Survey (I-WISH). Brynes RK, Orazi A, Theodore D, et al. Cines DB, Wasser J, Rodeghiero F, et al. [PubMed] [Google Scholar]148. 2013;121(14):2596-2606. [PMC free article] [PubMed] [Google Scholar]5. Repeated courses of rituximab in chronic ITP: three different regimens. A modern reassessment of glycoprotein-specific direct platelet autoantibody testing in immune thrombocytopenia. Khellaf A, Saleh MN, Salama A, et al. Comparison of anti-D immunoglobulin, methylprednisolone, or intravenous immunoglobulin therapy in newly diagnosed pediatric immune thrombocytopenic purpura. 2017;106(4):625-630. 2017;106(4):508-516. Heitink-Pollé KM, Haverman L, Annink W, Schep SJ, de Haas M, Bruin MC, et al. Trans Assoc Am Physicians. High-dose dexamethasone vs prednisone for treatment of adult immune thrombocytopenia: a prospective multicenter randomized trial. 2010;151(5):477-487. [PubMed] [Google Scholar]46. [PMC free article] [PubMed] [Google Scholar]209. Platelet counts during pregnancy. [PMC free article] [PubMed] [Google Scholar]286. Moudi M, Go R, Yen CY, Nazre M, J Thromb Haemost. A multicenter randomized controlled trial of recombinant human thrombopoietin treatment in patients with primary immune thrombocytopenia. Payen JF, Berthet M, Genty C, et al. Health-related quality of life in adult patients with chronic immune thrombocytopenia in Serbia. [PubMed] [Google Scholar]264. [PubMed] [Google Scholar]17. 1997;7(7):397-398. Steurer M, Quittit P, Papadaki HA, et al. 2009;144(4):552-558. [PubMed] [Google Scholar]216. [Google Scholar]188. : Novoseven Trauma investigators . Despotovic JM, Lambert MP, Herman JH, et al. Long-term follow-up analysis after rituximab therapy in children with refractory symptomatic ITP: identification of factors predictive of a sustained response. 2010;363(20):1889-1899. [PubMed] [Google Scholar]155. [PubMed] [Google Scholar]69. Arnold DM, Nazy I, Clare R, et al. But. [PubMed] [Google Scholar]126. Validity, reliability, and responsiveness of a new measure of health-related quality of life in children with immune thrombocytopenic purpura: the Kids' ITP Tools. 2018;132(suppl 1):1137. 2018;9:369-384. Sarpatwari A, Bennett D, Logie JW, et al. [PMC free article] [PubMed] [Google Scholar]57. Patients with immune thrombocytopenia (ITP) frequently experience severe fatigue but it is under-recognized by physicians: results from the ITP World Impact Survey (I-WISH). Brynes RK, Orazi A, Theodore D, et al. Cines DB, Wasser J, Rodeghiero F, et al. [PubMed] [Google Scholar]148. 2013;121(14):2596-2606. [PMC free article] [PubMed] [Google Scholar]5. Repeated courses of rituximab in chronic ITP: three different regimens. A modern reassessment of glycoprotein-specific direct platelet autoantibody testing in immune thrombocytopenia. Khellaf A, Saleh MN, Salama A, et al. Comparison of anti-D immunoglobulin, methylprednisolone, or intravenous immunoglobulin therapy in newly diagnosed pediatric immune thrombocytopenic purpura. 2017;106(4):625-630. 2017;106(4):508-516. Heitink-Pollé KM, Haverman L, Annink W, Schep SJ, de Haas M, Bruin MC, et al. Trans Assoc Am Physicians. High-dose dexamethasone vs prednisone for treatment of adult immune thrombocytopenia: a prospective multicenter randomized trial. 2010;151(5):477-487. [PubMed] [Google Scholar]46. [PMC free article] [PubMed] [Google Scholar]209. Platelet counts during pregnancy. [PMC free article] [PubMed] [Google Scholar]286. Moudi M, Go R, Yen CY, Nazre M, J Thromb Haemost. A multicenter randomized controlled trial of recombinant human thrombopoietin treatment in patients with primary immune thrombocytopenia. Payen JF, Berthet M, Genty C, et al. Health-related quality of life in adult patients with chronic immune thrombocytopenia in Serbia. [PubMed] [Google Scholar]264. [PubMed] [Google Scholar]17. 1997;7(7):397-398. Steurer M, Quittit P, Papadaki HA, et al. 2009;144(4):552-558. [PubMed] [Google Scholar]216. [Google Scholar]188. : Novoseven Trauma investigators . Despotovic JM, Lambert MP, Herman JH, et al. Long-term follow-up analysis after rituximab therapy in children with refractory symptomatic ITP: identification of factors predictive of a sustained response. 2010;363(20):1889-1899. [PubMed] [Google Scholar]155. [PubMed] [Google Scholar]69. Arnold DM, Nazy I, Clare R, et al. But. [PubMed] [Google Scholar]126. Validity, reliability, and responsiveness of a new measure of health-related quality of life in children with immune thrombocytopenic purpura: the Kids' ITP Tools. 2018;132(suppl 1):1137. 2018;9:369-384. Sarpatwari A, Bennett D, Logie JW, et al. [PMC free article] [PubMed] [Google Scholar]57. Patients with immune thrombocytopenia (ITP) frequently experience severe fatigue but it is under-recognized by physicians: results from the ITP World Impact Survey (I-WISH). Brynes RK, Orazi A, Theodore D, et al. Cines DB, Wasser J, Rodeghiero F, et al. [PubMed] [Google Scholar]148. 2013;121(14):2596-2606. [PMC free article] [PubMed] [Google Scholar]5. Repeated courses of rituximab in chronic ITP: three different regimens. A modern reassessment of glycoprotein-specific direct platelet autoantibody testing in immune thrombocytopenia. Khellaf A, Saleh MN, Salama A, et al. Comparison of anti-D immunoglobulin, methylprednisolone, or intravenous immunoglobulin therapy in newly diagnosed pediatric immune thrombocytopenic purpura. 2017;106(4):625-630. 2017;106(4):508-516. Heitink-Pollé KM, Haverman L, Annink W, Schep SJ, de Haas M, Bruin MC, et al. Trans Assoc Am Physicians. High-dose dexamethasone vs prednisone for treatment of adult immune thrombocytopenia: a prospective multicenter randomized trial. 2010;151(5):477-487. [PubMed] [Google Scholar]46. [PMC free article] [PubMed] [Google Scholar]209. Platelet counts during pregnancy. [PMC free article] [PubMed] [Google Scholar]286. Moudi M, Go R, Yen CY, Nazre M, J Thromb Haemost. A multicenter randomized controlled trial of recombinant human thrombopoietin treatment in patients with primary immune thrombocytopenia. Payen JF, Berthet M, Genty C, et al. Health-related quality of life in adult patients with chronic immune thrombocytopenia in Serbia. [PubMed] [Google Scholar]264. [PubMed] [Google Scholar]17. 1997;7(7):397-398. Steurer M, Quittit P, Papadaki HA, et al. 2009;144(4):552-558. [PubMed] [Google Scholar]216. [Google Scholar]188. : Novoseven Trauma investigators . Despotovic JM, Lambert MP, Herman JH, et al. Long-term follow-up analysis after rituximab therapy in children with refractory symptomatic ITP: identification of factors predictive of a sustained response. 2010;363(20):1889-1899. [PubMed] [Google Scholar]155. [PubMed] [Google Scholar]69. Arnold DM, Nazy I, Clare R, et al. But. [PubMed] [Google Scholar]126. Validity, reliability, and responsiveness of a new measure of health-related quality of life in children with immune thrombocytopenic purpura: the Kids' ITP Tools. 2018;132(suppl 1):1137. 2018;9:369-384. Sarpatwari A, Bennett D, Logie JW, et al. [PMC free article] [PubMed] [Google Scholar]57. Patients with immune thrombocytopenia (ITP) frequently experience severe fatigue but it is under-recognized by physicians: results from the ITP World Impact Survey (I-WISH). Brynes RK, Orazi A, Theodore D, et al. Cines DB, Wasser J, Rodeghiero F, et al. [PubMed] [Google Scholar]148. 2013;121(14):2596-2606. [PMC free article] [PubMed] [Google Scholar]5. Repeated courses of rituximab in chronic ITP: three different regimens. A modern reassessment of glycoprotein-specific direct platelet autoantibody testing in immune thrombocytopenia. Khellaf A, Saleh MN, Salama A, et al. Comparison of anti-D immunoglobulin, methylprednisolone, or intravenous immunoglobulin therapy in newly diagnosed pediatric immune thrombocytopenic purpura. 2017;106(4):625-630. 2017;106(4):508-516. Heitink-Pollé KM, Haverman L, Annink W, Schep SJ, de Haas M, Bruin MC, et al. Trans Assoc Am Physicians. High-dose dexamethasone vs prednisone for treatment of adult immune thrombocytopenia: a prospective multicenter randomized trial. 2010;151(5):477-487. [PubMed] [Google Scholar]46. [PMC free article] [PubMed] [Google Scholar]209. Platelet counts during pregnancy. [PMC free article] [PubMed] [Google Scholar]286. Moudi M, Go R, Yen CY, Nazre M, J Thromb Haemost. A multicenter randomized controlled trial of recombinant human thrombopoietin treatment in patients with primary immune thrombocytopenia. Payen JF, Berthet M, Genty C, et al. Health-related quality of life in adult patients with chronic immune thrombocytopenia in Serbia. [PubMed] [Google Scholar]264. [PubMed] [Google Scholar]17. 1997;7(7):397-398. Steurer M, Quittit P, Papadaki HA, et al. 2009;144(4):552-558. [PubMed] [Google Scholar]216. [Google Scholar]188. : Novoseven Trauma investigators . Despotovic JM, Lambert MP, Herman JH, et al. Long-term follow-up analysis after rituximab therapy in children with refractory symptomatic ITP: identification of factors predictive of a sustained response. 2010;363(20):1889-1899. [PubMed] [Google Scholar]155. [PubMed] [Google Scholar]69. Arnold DM, Nazy I, Clare R, et al. But. [PubMed] [Google Scholar]126. Validity, reliability, and responsiveness of a new measure of health-related quality of life in children with immune thrombocytopenic purpura: the Kids' ITP Tools. 2018;132(suppl 1):1137. 2018;9:369-384. Sarpatwari A, Bennett D, Logie JW, et al. [PMC free article] [PubMed] [Google Scholar]57. Patients with immune thrombocytopenia (ITP) frequently experience severe fatigue but it is under-recognized by physicians: results from the ITP World Impact Survey (I-WISH). Brynes RK, Orazi A, Theodore D, et al. Cines DB, Wasser J, Rodeghiero F, et al. [PubMed] [Google Scholar]148. 2013;121(14):2596-2606. [PMC free article] [PubMed] [Google Scholar]5. Repeated courses of rituximab in chronic ITP: three different regimens. A modern reassessment of glycoprotein-specific direct platelet autoantibody testing in immune thrombocytopenia. Khellaf A, Saleh MN, Salama A, et al. Comparison of anti-D immunoglobulin, methylprednisolone, or intravenous immunoglobulin therapy in newly diagnosed pediatric immune thrombocytopenic purpura. 2017;106(4):625-630. 2017;106(4):508-516. Heitink-Pollé KM, Haverman L, Annink W, Schep SJ, de Haas M, Bruin MC, et al. Trans Assoc Am Physicians. High-dose dexamethasone vs prednisone for treatment of adult immune thrombocytopenia: a prospective multicenter randomized trial. 2010;151(5):477-487. [PubMed] [Google Scholar]46. [PMC free article] [PubMed] [Google Scholar]209. Platelet counts during pregnancy. [PMC free article] [PubMed] [Google Scholar]286. Moudi M, Go R, Yen CY, Nazre M, J Thromb Haemost. A multicenter randomized controlled trial of recombinant human thrombopoietin treatment in patients with primary immune thrombocytopenia. Payen JF, Berthet M, Genty C, et al. Health-related quality of life in adult patients with chronic immune thrombocytopenia in Serbia. [PubMed] [Google Scholar]264. [PubMed] [Google Scholar]17. 1997;7(7):397-398. Steurer M, Quittit P, Papadaki HA, et al. 2009;144(4):552-558. [PubMed] [Google Scholar]216. [Google Scholar]188. : Novoseven Trauma investigators . Despotovic JM, Lambert MP, Herman JH, et al. Long-term follow-up analysis after rituximab therapy in children with refractory symptomatic ITP: identification of factors predictive of a sustained response. 2010;363(20):1889-1899. [PubMed] [Google Scholar]155. [PubMed] [Google Scholar]69. Arnold DM, Nazy I, Clare R, et al. But. [PubMed] [Google Scholar]126. Validity, reliability, and responsiveness of a new measure of health-related quality of life in children with immune thrombocytopenic purpura: the Kids' ITP Tools. 2018;132(suppl 1):1137. 2018;9:369-384. Sarpatwari A, Bennett D, Logie JW, et al. [PMC free article] [PubMed] [Google Scholar]57. Patients with immune thrombocytopenia (ITP) frequently experience severe fatigue but it is under-recognized by physicians: results from the ITP World Impact Survey (I-WISH). Brynes RK, Orazi A, Theodore D, et al. Cines DB, Wasser J, Rodeghiero F, et al. [PubMed] [Google Scholar]1

M, Aichikawa A, Ichikawa M, Nanmya Y, Kurokawa M, Thromb Res.
Repeated short-term use of eltrombopag in patients with chronic immune thrombocytopenia (ITP). 2011;86(6):520-523. An alternative intermittent eltrombopag dosing protocol for the treatment of chronic immune thrombocytopenia. [PubMed] [Google Scholar]194. [PubMed] [Google Scholar]140. [PubMed] [Google Scholar]48. [PubMed] [Google Scholar]51. 1990;53(1):98-104. Isolated thrombocytopenia in children: thinking beyond idiopathic thrombocytopenic purpura and leukemia. 2014;49(3):187-191. 2017;96(2):e7561. 1996;88(1):194-201. 2014;93(3):286-290. Romiplostim in children with chronic refractory ITP. randomized placebo controlled study. ; CARMEN investigators group. Mant MJ, Connolly T, Gordon PA, King EG. [PMC free article] [PubMed] [Google Scholar]221. Gómez-Almaguer D, Tarifa-Arzaga L, Moreno-Jaime B, et al. Pullarkat VA, Gernsheimer T, Wasser JS, et al. 2018;93(7):921-930. 2016;63(8):1407-1413. Efficacy and safety of eltrombopag in persistent and newly diagnosed ITP in clinical practice. A low birth weight infant with no malformations delivered by a primary immune thrombocytopenia patient treated with eltrombopag. Treatment patterns and clinical outcomes in patients with chronic immune thrombocytopenia (ITP) switched to eltrombopag or romiplostim. 2017;130(9):1097-1103. Slow infusions of vincristine in the treatment of adult idiopathic thrombocytopenic purpura: a report on 43 cases. 2018;183(2):168. [PubMed] [Google Scholar]166. Stasi R, Murali M, Michel M, et al. Thrombotic risk in patients with primary immune thrombocytopenia is only mildly increased and explained by personal and treatment-related risk factors. [PubMed] [Google Scholar]106. J Laparoscend Adv Surg Tech A. [PMC free article] [PubMed] [Google Scholar]272. Am J Hematol. Results of the CARMEN multicenter prospective cohort. Peng J, Ma SH, Liu J, et al. [PubMed] [Google Scholar]233. [PubMed] [Google Scholar]1212. 2015;170(2):141-149. Rituximab in immune thrombocytopenia: gender, age, and response as predictors of long-term response. [PMC free article] [PubMed] [Google Scholar]63. [PubMed] [Google Scholar]67. Outcomes 5 years after response to rituximab therapy in children and adults with immune thrombocytopenia. 2010;20(10):385-386. [PubMed] [Google Scholar]267. 2014;124(2 Pt 2 suppl 1):481-483. [PubMed] [Google Scholar]109. Risk of epidural hematoma after neuraxial techniques in thrombocytopenic parturients: a report from the Multicenter Perioperative Outcomes Group. J Indian Med Assoc. [PMC free article] [PubMed] [Google Scholar]292. [PubMed] [Google Scholar]178. Multicentre, randomised phase III study of the efficacy and safety of eltrombopag in Chinese patients with chronic immune thrombocytopenia. Deshayes S, Khellaf M, Zarour A, et al. [PubMed] [Google Scholar]124. Response to steroids predicts response to rituximab in pediatric chronic immune thrombocytopenia. Vermooij RW, Alonso-Cuello P, Brouwers M, Martínez García L, Checkliff Panel. Grainger JD, Blanchette VS, Grotzinger KM, Roy A, Bussel JB. The role of the bone marrow examination in the diagnosis of immune thrombocytopenic purpura: case series and literature review. 2016;54(11):847-855. A multi-centre, single-arm, open-label study evaluating the safety and efficacy of fixed dose rituximab in patients with refractory, relapsed or chronic idiopathic thrombocytopenic purpura (R-ITP1000 study). Kuter DJ, Mathias SD, Rummel M, et al. 2012;97(1):8-11. [PubMed] [Google Scholar]154. Pediatrics. A randomized trial of avatrombopag, an investigational thrombopoietin-receptor agonist, in persistent and chronic immune thrombocytopenia. 2016;222(8):727-733. Tada K, Ohta M, Saga K, et al. Platelet size for distinguishing between inherited thrombocytopenias and immune thrombocytopenia: a multicentric, real life study. Al Askar AS, Shaheen NA, Al Zahrani M, et al. [PubMed] [Google Scholar]174. Misdiagnosis of primary immune thrombocytopenia and frequency of bleeding: lessons from the McMaster ITP Registry. [PMC free article] [PubMed] [Google Scholar]231. [PubMed] [Google Scholar]44. [PubMed] [Google Scholar]243. [PubMed] [Google Scholar]87. [PMC free article] [PubMed] [Google Scholar]273. [PubMed] [Google Scholar]12. June 2018.91. Kuter DJ, Macalighil C, Grotzinger KM, et al. 2018;93(7):E170-E172. Long-term outcomes of laparoscopic splenectomy versus open splenectomy for idiopathic thrombocytopenic purpura. Effects of eradication of Helicobacter pylori infection in patients with immune thrombocytopenic purpura: a systematic review. PROMACTA PROMACTA® (eltrombopag) tablets, for oral use; PROMACTA® (eltrombopag) for oral suspension [prescribing information] East Hanover, NJ: Novartis Pharmaceuticals Corporation; 2018. Health-related quality of life in non脾splenectomized immune thrombocytopenia patients receiving romiplostim or medical standard of care. 2013;161(3):411-423. Corticosteroid side-effects and risk for bleeding in immune thrombocytopenic purpura: patient and hematologist perspectives. [PubMed] [Google Scholar]227. [Google Scholar]142. Al-Samkari H, Kuter DJ. 2017;66(1):101-110. ; investigators of the Fiebigamma DIF in ITP Study Group. Newly diagnosed immune thrombocytopenia in children and adults: a comparative prospective observational registry of the Intercontinental Cooperative Immune Thrombocytopenia Study Group. 2013;41(1):1231-1235. 2010;109(4):372-377. 2011;170(2):e225-e232. The effect of danazol in primary immune thrombocytopenia: an analysis of a large cohort from a single center in China. Jurczak W, Chojnowski K, Mayer J, et al. 1975;46(4):567-578. 2012;96(2):222-228. Rapid infusions of human normal immunoglobulin 50 g/are safe and well tolerated in immunodeficiencies and immune thrombocytopenia [published correction appears in Int Immunopharmacol. Hematol Oncol Stem Cell Ther. 2018;181(2):183-195. Vincristine efficacy and safety in treating immune thrombocytopenia: a retrospective study of 35 patients. [PubMed] [Google Scholar]127. 1994;84(12):4203-4208. The Association of autoantibody specificity and response to intravenous immunoglobulin G therapy in immune thrombocytopenia: a multicenter cohort study. Bussel JB, Hsieh L, Buchanan GR, et al. [PubMed] [Google Scholar]278. [PubMed] [Google Scholar]158. 2009;27(3):329-333. [PubMed] [Google Scholar]90. Bussel JB, Lee CS, Seery C, et al. The effect of rituximab on vaccine responses in patients with immune thrombocytopenia. 2008;13(3):231-237. EHA Library. González-López TJ, Fernández-Fuertes F, Hernández-Rivas JA, et al. Pilot study of the effect of romiplostim on child health-related quality of life (HRQoL) and parental burden in immune thrombocytopenia (ITP). [PMC free article] [PubMed] [Google Scholar]141. [PubMed] [Google Scholar]200. [PubMed] [Google Scholar]125. [PMC free article] [PubMed] [Google Scholar]222. 2013;121(22):4457-4462. [PubMed] [Google Scholar]41. Sports participation recommendations for patients with bleeding disorders. A pilot randomized trial of adjuvant rituximab or placebo for non脾splenectomized patients with immune thrombocytopenia. 2012;87(9):886-889. Reese JA, Peck JD, Deschamps DR, et al. Mathias SD, Li X, Eisen M, Carpenter N, Crosby RD, Blanchette VS. 2003;120(4):574-596. [PubMed] [Google Scholar]172. NPLATE NPLATE® (romiplostim) for injection, for subcutaneous use [prescribing information] Thousand Oaks, CA: Amgen Inc.; 2018. Mathias SD, Gao SK, Rutstein M, Snyder CF, Wu AW, Cella D. 2016;95(48):e5098. [PubMed] [Google Scholar]296. 2009;52(2):259-262. 2001;84(3):227-229. Efficacy of platelet transfusions in immune thrombocytopenia. 2019;185(1):102-106. Multiagent induction and maintenance therapy for patients with refractory immune thrombocytopenic purpura (ITP). 2018;84(11):2673-2677. [PMC free article] [PubMed] [Google Scholar]14. [PubMed] [Google Scholar]173. 2013;121(11):1976-1981. 2010;115(1):29-31. Cochrane Database Syst Rev. Ghanima W, Khelif A, Waage A, et al. 2008;36(10):1337-1342. CAMPATH-1H in the treatment of autoimmune cytopenias. 2012;119(25):5989-5995. [PubMed] [Google Scholar]193. Zaja F, Volpetti S, Chiozzotto M, et al. [PMC free article] [PubMed] [Google Scholar]150. [PMC free article] [PubMed] [Google Scholar]248. Rituximab versus splenectomy in persistent or chronic adult primary immune thrombocytopenia: an adjusted comparison of mortality and morbidity. 2016;97(3):297-302. TAVALISSE TAVALISSE™ (fostamatinib disodium hexahydrate) tablets, for oral use [prescribing information] South San Francisco, CA: Rigil Pharmaceuticals Inc.; 2018. [PubMed] [Google Scholar]28. [PubMed] [Google Scholar]285. 2013;24(5):505-509. 2017;98(4):371-377. Kimec K, Klima J, Rose MJ, O'Brien SH. 2014;99(7):1264-1271. [PubMed] [Google Scholar]19. 2019;94(1):E8-E11. Br J Haematol. Blood Adv. González-López TJ, Pascual C, Alvarez-Román MT, et al. Pediatr Blood Cancer. 2009;83(3):175-182. [PMC free article] [PubMed] [Google Scholar]265. 2016;3(10):e489-e496. Long-term complications of splenectomy in adult immune thrombocytopenia. [PubMed] [Google Scholar]295. Kitchens CS, Weiss L. 2003;1(3):485-491. Nplate. [PubMed] [Google Scholar]112. [PubMed] [Google Scholar]250. 2011;90(11):1341-1344. McMillan R, Wang L, Tani P. [PubMed] [Google Scholar]59. 2013;131(5):880-885. 2016;135(3):162-171. 2010;91(2):252-257. [PMC free article] [PubMed] [Google Scholar]362. 2017;6(3):174-180. [PMC free article] [PubMed] [Google Scholar]161. [PubMed] [Google Scholar]204. Colella MP, Aves ECF, de Franca Delmoro G, et al. ; British Committee for Standards in Haematology. Tomiyama Y, Miyakawa Y, Okamoto S, et al. Su Y, Xu H, Xu Y, et al. Rituximab plus standard of care for treatment of primary immune thrombocytopenia: a systematic review and meta-analysis. 1989;32(15):974-980. 2009;7(6):1036-1038. 2015;2(8):315-325. A comparison of intravenous immunoglobulin (2 g/kg totally) and single doses of anti-D immunoglobulin at 50 µg/kg, 75 µg/kg in newly diagnosed children with idiopathic thrombocytopenic purpura: Ankara hospital experience. Tamminga R, Berchold W, Bruin M, Buchanan GR, Kühne T, Jubelirer SJ, Harpold R, Sikorska A, Slomkowski M, Marulanka K, Konopka L, Górski T, Taylor A, Neave L, Solanki S, et al. [PubMed] [Google Scholar]95. Wardrop D, Estcourt LJ, Brunskill SJ, et al. Kane I, Ragucci D, Shatat IF, Bussel J, Kalpathi R, J Intern Med. Efficacy of high-dose methylprednisolone as a first-line therapy in adult patients with idiopathic thrombocytopenic purpura. Purushothaman J, Puthumana KJ, Kumar A, Innah SJ, Gillav S. Vincristine in the treatment of children and adolescents with refractory immune thrombocytopenia: a retrospective study of 12 patients with immune thrombocytopenia treated by thrombopoietin receptor-agonists. High response rate to low-dose rituximab plus high-dose dexamethasone as frontline therapy in adult patients with primary immune thrombocytopenia. 2009;14(5):286-289. Prednisone versus high-dose dexamethasone for untreated primary immune thrombocytopenia. rituximab as a second-line therapy in immune thrombocytopenic purpura: a single center experience. 2017;64(7):e26389. Braester A, Kim KJ, Baek IW, Yoon CH, Kim WU, Cho CS, Suzuki N, Hiraga J, Hariyama Y, et al. Vecchio R, Marchese S, Intagliata E, Swhehli E, Ferla F, Cacciola E. Intravenous immunoglobulin vs observation in childhood immune thrombocytopenia: a randomized controlled trial. 2004;76(3):205-213. Hydroxychloroquine is a good second-line treatment for adults with immune thrombocytopenia and positive antinuclear antibodies. Pierrrot-Desillignys Despujol C, Michel M, Khellaf M, et al. Evaluation of bone marrow reticulum in patients with chronic immune thrombocytopenia treated with eltrombopag: data from the EXTEND study. Stasi R, Evangelista ML, Stipa E, Buccisano F, Venditti A, Anadani S. 2008;99(1):4-13. [PubMed] [Google Scholar]108. Natural course of childhood chronic immune thrombocytopenia using the revised terminology and diagnosis of the thrombocytopenic surgical patient. Gudjonssdottir S, Birgens HS, Fredericksen H, et al. Arnold DM, Heddle NM, Carruthers J, et al. 2016;10(2):155-158. Aust N Z J Med. 2017;126(6):654-661. RevolveLd J Gynecol Obstet Hum Reprod. Acta Haematol. 2018;183(3):479-490. 2014;166(6):929-935. 2017;7(3):475-480. [PubMed] [Google Scholar]17. 2018;97(4):655-662. Efficacy and safety of Privigen, a novel liquid intravenous immunoglobulin formulation, in adolescent and adult patients with chronic immune thrombocytopenic purpura. 2011;118(16):4338-4345. EHA Library.2018;215096;PF654. Evaluating clinically meaningful change on the ITP-PAO: preliminary estimates of minimal important differences. ; Glaser Pediatric Research Network J Pediatr Hematol Oncol. [PubMed] [Google Scholar]62. Efficacy of romiplostim in patients with chronic immune thrombocytopenic purpura: a double-blind randomized controlled trial. [PMC free article] [PubMed] [Google Scholar]123. Celik M, Bulbul A, Aydogan G, et al. [PubMed] [Google Scholar]269. Efficacy of rituximab in primary immune thrombocytopenia: An analysis of adult pretreated patients from everyday hematological practice. Successful treatment of severe thrombocytopenia with romiplostim in a pregnant patient with systemic lupus erythematosus. Mycophenolate mofetil for the treatment of children with immune thrombocytopenia and Evans syndrome. Tarantino MD, Bussel JB, Blanchette VS, et al. Cytotherapy. [PMC free article] [PubMed] [Google Scholar]Page 2Evidence levelDefinitionaEvidence obtained from meta-analysis of RCTsbEvidence obtained from ≥ 1 RCTIbEvidence obtained from ≥ 1 other type of well-designed controlled study without randomizationIbEvidence obtained from ≥ 1 other type of well-designed quasi-experimental study\*IIIEvidence obtained from well-designed nonexperimental descriptive studies, such as comparative studies, correlated studies, and case studiesIVEvidence obtained from expert committee reports or opinions and/or clinical experience of respected authorities 2012;87(5):568-561. 2014;99(9):1525-1531. [PubMed] [Google Scholar]205. [PubMed] [Google Scholar]190. [PubMed] [Google Scholar]266. Mahévas M, Van Eckhoudt S, Moulis G, et al. Grimaldi-Bensouda L, Nordon C, Leblanc T, et al. Cohen YC, Djubegovic B, Shamai-Lubovitz O, Mozes B. Relative potency of the thrombopoietin receptor agonists eltrombopag, avatrombopag and romiplostim in a patient with chronic immune thrombocytopenia. Crit Care Med. Measurements of immature platelets with haematology analysers are of limited value to separate immune thrombocytopenia from bone marrow failure. 2001;97(9):2549-2554. The efficacy of rituximab in patients with splenectomized refractory chronic idiopathic thrombocytopenic purpura. Immune thrombocytopenia in adults: a prospective cohort study of clinical features and predictors of outcome. Severe immune thrombocytopenia in pregnancy treated with eltrombopag - a case report. Trotter P, Hill QA. 2013;98(11):895-897. [PubMed] [Google Scholar]290. ; Gruppo Italiano Malattie EMatologiche dell'Adulto (GIMEMA) Anemia and Thrombocytopenias Working Party. Idiopathic thrombocytopenic purpura: current concepts in pathophysiology and management. [PMC free article] [PubMed] [Google Scholar]159. 2011;33(4):265-269. Predictors of remission in children with newly diagnosed immune thrombocytopenia: data from the Intercontinental Cooperative ITP Study Group Registry II participants. 2009;82(4):247-254. [PubMed] [Google Scholar]145. Marangon M, Vianelli N, Palandrì F, et al. 2007;110(10):3526-3531. 2013;36(5):279-294. [PubMed] [Google Scholar]54. Health-related quality of life in children with chronic immune thrombocytopenia treated with eltrombopag in the PETIT study. [PubMed] [Google Scholar]15. 2015;101(3):255-263. [PubMed] [Google Scholar]163. Chugh S, Darvish-Kazem S, Lim W, et al. 2018;125(5):604-612. RevolveLd (olamidine [summary of product characteristics] Dublin, Ireland: Novartis Europharm Limited; 2018. 1965;78:374-390. Platelets, Cybulska A, Meintker L, Ringwald J, Krause SW. 2006;142(4):638-643. Remission and platelet responses with romiplostim in primary immune thrombocytopenia: final results from a phase 2 study. [PubMed] [Google Scholar]126. [PubMed] [Google Scholar]220. 2010;5(1):359-364. 2015;16(9):1839-1842. Safety of azathioprine use during pregnancy. Mueller BU, Bennett CM, Feldman HA, et al. 2010;3(2):71-77. Romiplostim treatment in adults with immune thrombocytopenia of varying duration and severity. Exp Hematol. Janssens A, Tarantino M, Bird JR, et al. [PubMed] [Google Scholar]164. [PubMed] [Google Scholar]61. Changes in bone marrow morphology in adults receiving romiplostim for the treatment of thrombocytopenia associated with primary immune thrombocytopenia. [PMC free article] [PubMed] [Google Scholar]30. Obstet Gynecol. A retrospective study of the Japan Hematology & Oncology Clinical Study Group. Int Surg. Arch Intern Med. [PubMed] [Google Scholar]152. [Google Scholar]122. Klaassen RJ, Blanchette VS, Barnard D, et al. Br Med J (Clin Res Ed). 2013;122(2 Pt 2):483-485. Oved JH, Lee CSY, Bussel JB, Khellaf M, Viallard JF, Hamidou M, et al. Efficacy and safety of rituximab for systemic lupus erythematosus-associated immune cytopenias: a multicenter retrospective cohort study of 71 adults. Splenectomy as a curative therapy for immune thrombocytopenia: a retrospective analysis of 233 patients with a minimum follow up of 10 years. Pratiuan W, Rojnuackarin P. The management of isolated thrombocytopenia in Chinese adults: does bone marrow examination have a role at presentation? Comparison of standard and low dose rituximab in primary immune thrombocytopenia: data from the UK ITP Registry. Intravenous anti-D as a treatment for immune thrombocytopenic purpura (ITP) during pregnancy. 2013;98(3):323-330. 2013(7):CD009733. Newly diagnosed immune thrombocytopenia adults: clinical epidemiology, exposure to treatments, and evolution. Marshall AL, Goodarzi K, Kuter DJ. RITUXAN RITUXAN® (rituximab) injection, for intravenous use [prescribing information] South San Francisco, CA: Genentech; 2018. Carr JM, Kruskal MS, Kaye JA, Robinson SH. Available at: 2014;89(1):41-46. [PubMed] [Google Scholar]150. A randomized, double-blind study of romiplostim to determine its safety and efficacy in children with immune thrombocytopenia. [PubMed] [Google Scholar]16. Robak T, Mainau C, Pyringer B, et al. [PubMed] [Google Scholar]146. Colović M, Suvajdzic N, Colović N, Tomlin D, Vidović A, Palibr V. 2014;123(25):3887-3894. Stirmemann J, Vigan M, Hamroun D, et al. Long-term outcomes of laparoscopic versus open splenectomy for immune thrombocytopenia. 2008;93(1):151-152. Avatrombopag, an oral thrombopoietin receptor agonist: results of two double-blind, dose-rising, placebo-controlled Phase I studies. Prospective evaluation of the clinical usefulness of an antigen-specific assay (MAIPA) in idiopathic thrombocytopenic purpura and other immune thrombocytopenias. Safety and efficacy of romiplostim in splenectomized and non脾splenectomized patients with primary immune thrombocytopenia. [PubMed] [Google Scholar]293. [PubMed] [Google Scholar]240. Yang R, Li J, Jin J, et al. Morbidity and mortality in adults with idiopathic thrombocytopenic purpura. Facon T, Caulier MT, Wattel E, Joet JP, Bauters F, Fenaux P, Klaassen RJ, Doyle JJ, Krahn MD, Blanchette VS, Naglie G. Prevalence and clinical significance of elevated antinuclear antibody test in children and adult patients with idiopathic thrombocytopenic purpura. Care A, Pavord S, Knight M, Alfirevic Z, Spadaro C, Vulliamy A, Alberto Bosi A, et al. Integrated analysis of long-term safety in patients with immune thrombocytopenia (ITP) treated with the thrombopoietin (TPO) receptor agonist romiplostim. [PMC free article] [PubMed] [Google Scholar]256. 2016;103(1):44-52. [PubMed] [Google Scholar]137. 2013;88(12):1041-1044. 2003;122(5):818-824. Successful discontinuation of eltrombopag after complete remission in patients with primary immune thrombocytopenia. Analysis of E0-5D scores from two phase 3 clinical trials of romiplostim in the treatment of immune thrombocytopenia (ITP). A 2-year, longitudinal, prospective study of the effects of eltrombopag on bone marrow in patients with chronic immune thrombocytopenia. Manoharan A. DOPTOLET DOPTOLET® (avatrombopag) tablets, for oral use [prescribing information] Durham, NC: Nova Pharmaceuticals; 2019. 2012;95(6):652-659. How I treat refractory immune thrombocytopenia. [PubMed] [Google Scholar]215. Alloglu B, Ercan S, Tapani AE, Zengin T, Yazarli E, Dallar Y, et al. The American Society of Hematology 2011 evidence-based practice guideline for immune thrombocytopenia. 2010;115(2):166-186. Kovaleva L, Apte S, Damodar S, et al. Prospective evaluation of the immunobead assay for the diagnosis of adult chronic immune thrombocytopenic purpura (ITP). WinRho SDF prescribing information. 2017;14(1):e1002207. AKI-501 (YM477) a novel orally-active thrombopoietin receptor agonist. Standard-dose intravenous anti-D immunoglobulin versus intravenous immunoglobulin for immune thrombocytopenia in adults: a retrospective study. 2015;101(3):255-263. [PubMed] [Google Scholar]266. Mahévas M, Van Eckhoudt S, Moulis G, et al. Grimaldi-Bensouda L, Nordon C, Leblanc T, et al. Cohen YC, Djubegovic B, Shamai-Lubovitz O, Mozes B. Relative potency of the thrombopoietin receptor agonists eltrombopag, avatrombopag and romiplostim in a patient with chronic immune thrombocytopenia. Crit Care Med. Measurements of immature platelets with haematology analysers are of limited value to separate immune thrombocytopenia from bone marrow failure. 2001;97(9):2549-2554. The efficacy of rituximab in patients with splenectomized refractory chronic idiopathic thrombocytopenic purpura. Immune thrombocytopenia in adults: a prospective cohort study of clinical features and predictors of outcome. Severe immune thrombocytopenia in pregnancy treated with eltrombopag - a case report. Trotter P, Hill QA. 2013;98(11):895-897. [PubMed] [Google Scholar]290. ; Gruppo Italiano Malattie EMatologiche dell'Adulto (GIMEMA) Anemia and Thrombocytopenias Working Party. Idiopathic thrombocytopenic purpura: current concepts in pathophysiology and management. [PMC free article] [PubMed] [Google Scholar]159. 2011;33(4):265-269. Predictors of remission in children with newly diagnosed immune thrombocytopenia: data from the Intercontinental Cooperative ITP Study Group Registry II participants. 2009;82(4):247-254. [PubMed] [Google Scholar]145. Marangon M, Vianelli N, Palandrì F, et al. 2007;110(10):3526-3531. 2013;36(5):279-294. [PubMed] [Google Scholar]54. Health-related quality of life in children with chronic immune thrombocytopenia treated with eltrombopag in the PETIT study. [PubMed] [Google Scholar]15. 2015;101(3):255-263. [PubMed] [Google Scholar]163. Chugh S, Darvish-Kazem S, Lim W, et al. 2018;125(5):604-612. RevolveLd (olamidine [summary of product characteristics] Dublin, Ireland: Novartis Europharm Limited; 2018. 1965;78:374-390. Platelets, Cybulska A, Meintker L, Ringwald J, Krause SW. 2006;142(4):638-643. Remission and platelet responses with romiplostim in primary immune thrombocytopenia: final results from a phase 2 study. [PubMed] [Google Scholar]126. [PubMed] [Google Scholar]220. 2010;5(1):359-364. 2015;16(9):1839-1842. Safety of azathioprine use during pregnancy. Mueller BU, Bennett CM, Feldman HA, et al. 2010;3(2):71-77. Romiplostim treatment in adults with immune thrombocytopenia of varying duration and severity. Exp Hematol. Janssens A, Tarantino M, Bird JR, et al. [PubMed] [Google Scholar]164. [PubMed] [Google Scholar]61. Changes in bone marrow morphology in adults receiving romiplostim for the treatment of thrombocytopenia associated with primary immune thrombocytopenia. [PMC free article] [PubMed] [Google Scholar]30. Obstet Gynecol. A retrospective study of the Japan Hematology & Oncology Clinical Study Group. Int Surg. Arch Intern Med. [PubMed] [Google Scholar]152. [Google Scholar]122. Klaassen RJ, Blanchette VS, Barnard D, et al. Br Med J (Clin Res Ed). 2013;122(2 Pt 2):483-485. Oved JH, Lee CSY, Bussel JB, Khellaf M, Viallard JF, Hamidou M, et al. Efficacy and safety of rituximab for systemic lupus erythematosus-associated immune cytopenias: a multicenter retrospective cohort study of 71 adults. Splenectomy as a curative therapy for immune thrombocytopenia: a retrospective analysis of 233 patients with a minimum follow up of 10 years. Pratiuan W, Rojnuackarin P. The management of isolated thrombocytopenia in Chinese adults: does bone marrow examination have a role at presentation? Comparison of standard and low dose rituximab in primary immune thrombocytopenia: data from the UK ITP Registry. Intravenous anti-D as a treatment for immune thrombocytopenic purpura (ITP) during pregnancy. 2013;98(3):323-330. 2013(7):CD009733. Newly diagnosed immune thrombocytopenia adults: clinical epidemiology, exposure to treatments, and evolution. Marshall AL, Goodarzi K, Kuter DJ. RITUXAN RITUXAN® (rituximab) injection, for intravenous use [prescribing information] South San Francisco, CA: Genentech; 2018. Carr JM, Kruskal MS, Kaye JA, Robinson SH. Available at: 2014;89(1):41-46. [PubMed] [Google Scholar]150. A randomized, double-blind study of romiplostim to determine its safety and efficacy in children with immune thrombocytopenia. [PubMed] [Google Scholar]16. Robak T, Mainau C, Pyringer B, et al. [PubMed] [Google Scholar]146. Colović M, Suvajdzic N, Colović N, Tomlin D, Vidović A, Palibr V. 2014;123(25):3887-3894. Stirmemann J, Vigan M, Hamroun D, et al. Long-term outcomes of laparoscopic versus open splenectomy for immune thrombocytopenia. 2008;93(1):151-152. Avatrombopag, an oral thrombopoietin receptor agonist: results of two double-blind, dose-rising, placebo-controlled Phase I studies. Prospective evaluation of the clinical usefulness of an antigen-specific assay (MAIPA) in idiopathic thrombocytopenic purpura and other immune thrombocytopenias. Safety and efficacy of romiplostim in splenectomized and non脾splenectomized patients with primary immune thrombocytopenia. [PubMed] [Google Scholar]293. [PubMed] [Google Scholar]240. Yang R, Li J, Jin J, et al. Morbidity and mortality in adults with idiopathic thrombocytopenic purpura. Facon T, Caulier MT, Wattel E, Joet JP, Bauters F, Fenaux P, Klaassen RJ, Doyle JJ, Krahn MD, Blanchette VS, Naglie G. Prevalence and clinical significance of elevated antinuclear antibody test in children and adult patients with idiopathic thrombocytopenic purpura. Care A, Pavord S, Knight M, Alfirevic Z, Spadaro C, Vulliamy A, Alberto Bosi A, et al. Integrated analysis of long-term safety in patients with immune thrombocytopenia (ITP) treated with the thrombopoietin (TPO) receptor agonist romiplostim. [PMC free article] [PubMed] [Google Scholar]256. 2016;103(1):44-52. [PubMed] [Google Scholar]137. 2013;88(12):1041-1044. 2003;122(5):818-824. Successful discontinuation of eltrombopag after complete remission in patients with primary immune thrombocytopenia. Analysis of E0-5D scores from two phase 3 clinical trials of romiplostim in the treatment of immune thrombocytopenia (ITP). A 2-year, longitudinal, prospective study of the effects of eltrombopag on bone marrow in patients with chronic immune thrombocytopenia. Manoharan A. DOPTOLET DOPTOLET® (avatrombopag) tablets, for oral use [prescribing information] Durham, NC: Nova Pharmaceuticals; 2019. 2012;95(6):652-659. How I treat refractory immune thrombocytopenia. [PubMed] [Google Scholar]215. Alloglu B, Ercan S, Tapani AE, Zengin T, Yazarli E, Dallar Y, et al. The American Society of Hematology 2011 evidence-based practice guideline for immune thrombocytopenia. 2010;115(2):166-186. Kovaleva L, Apte S, Damodar S, et al. Prospective evaluation of the immunobead assay for the diagnosis of adult chronic immune thrombocytopenic purpura (ITP). WinRho SDF prescribing information. 2017;14(1):e1002207. AKI-501 (YM477) a novel orally-active thrombopoietin receptor agonist. Standard-dose intravenous anti-D immunoglobulin versus intravenous immunoglobulin for immune thrombocytopenia in adults: a retrospective study. 2015;101(3):255-263. [PubMed] [Google Scholar]266. Mahévas M, Van Eckhoudt S, Moulis G, et al. Grimaldi-Bensouda L, Nordon C, Leblanc T, et al. Cohen YC, Djubegovic B, Shamai-Lubovitz O, Mozes B. Relative potency of the thrombopoietin receptor agonists eltrombopag, avatrombopag and romiplostim in a patient with chronic immune thrombocytopenia. Crit Care Med. Measurements of immature platelets with haematology analysers are of limited value to separate immune thrombocytopenia from bone marrow failure. 2001;97(9):2549-2554. The efficacy of rituximab in patients with splenectomized refractory chronic idiopathic thrombocytopenic purpura. Immune thrombocytopenia in adults: a prospective cohort study of clinical features and predictors of outcome. Severe immune thrombocytopenia in pregnancy treated with eltrombopag - a case report. Trotter P, Hill QA. 2013;98(11):895-897. [PubMed] [Google Scholar]290. ; Gruppo Italiano Malattie EMatologiche dell'Adulto (GIMEMA) Anemia and Thrombocytopenias Working Party. Idiopathic thrombocytopenic purpura: current concepts in pathophysiology and management. [PMC free article] [PubMed] [Google Scholar]159. 2011;33(4):265-269. Predictors of remission in children with newly diagnosed immune thrombocytopenia: data from the Intercontinental Cooperative ITP Study Group Registry II participants. 2009;82(4):247-254. [PubMed] [Google Scholar]145. Marangon M, Vianelli N, Palandrì F, et al. 2007;110(10):3526-3531. 2013;36(5):279-294. [PubMed] [Google Scholar]54. Health-related quality of life in children with chronic immune thrombocytopenia treated with eltrombopag in the PETIT study. [PubMed] [Google Scholar]15. 2015;101(3):255-263. [PubMed] [Google Scholar]163. Chugh S, Darvish-Kazem S, Lim W, et al. 2018;125(5):604-612. RevolveLd (olamidine [summary of product characteristics] Dublin, Ireland: Novartis Europharm Limited; 2018. 1965;78:374-390. Platelets, Cybulska A, Meintker L, Ringwald J, Krause SW. 2006;142(4):638-643. Remission and platelet responses with romiplostim in primary immune thrombocytopenia: final results from a phase 2 study. [PubMed] [Google Scholar]126. [PubMed] [Google Scholar]220. 2010;5(1):359-364. 2015;16(9):1839-1842. Safety of azathioprine use during pregnancy. Mueller BU, Bennett CM, Feldman HA, et al. 2010;3(2):71-77. Romiplostim treatment in adults with immune thrombocytopenia of varying duration and severity. Exp Hematol. Janssens A, Tarantino M, Bird JR, et al. [PubMed] [Google Scholar]164. [PubMed] [Google Scholar]61. Changes in bone marrow morphology in adults receiving romiplostim for the treatment of thrombocytopenia associated with primary immune thrombocytopenia. [PMC free article] [PubMed] [Google Scholar]30. Obstet Gynecol. A retrospective study of the Japan Hematology & Oncology Clinical Study Group. Int Surg. Arch Intern Med. [PubMed] [Google Scholar]152. [Google Scholar]122. Klaassen RJ, Blanchette VS, Barnard D, et al. Br Med J (Clin Res Ed). 2013;122(2 Pt 2):483-485. Oved JH, Lee CSY, Bussel JB, Khellaf M, Viallard JF, Hamidou M, et al. Efficacy and safety of rituximab for systemic lupus erythematosus-associated immune cytopenias: a multicenter retrospective cohort study of 71 adults. Splenectomy as a curative therapy for immune thrombocytopenia: a retrospective analysis of 233 patients with a minimum follow up of 10 years. Pratiuan W, Rojnuackarin P. The management of isolated thrombocytopenia in Chinese adults: does bone marrow examination have a role at presentation? Comparison of standard and low dose rituximab in primary immune thrombocytopenia: data from the UK ITP Registry. Intravenous anti-D as a treatment for immune thrombocytopenic purpura (ITP) during pregnancy. 2013;98(3):323-330. 2013(7):CD009733. Newly diagnosed immune thrombocytopenia adults: clinical epidemiology, exposure to treatments, and evolution. Marshall AL, Goodarzi K, Kuter DJ. RITUXAN RITUXAN® (rituximab) injection, for intravenous use [prescribing information] South San Francisco, CA: Genentech; 2018. Carr JM, Kruskal MS, Kaye JA, Robinson SH. Available at: 2014;89(1):41-46. [PubMed] [Google Scholar]150. A randomized, double-blind study of romiplostim to determine its safety and efficacy in children with immune thrombocytopenia. [PubMed] [Google Scholar]16. Robak T, Mainau C, Pyringer B, et al. [PubMed] [Google Scholar]146. Colović M, Suvajdzic N, Colović N, Tomlin D, Vidović A, Palibr V. 2014;123(25):3887-3894. Stirmemann J, Vigan M, Hamroun D, et al. Long-term outcomes of laparoscopic versus open splenectomy for immune thrombocytopenia. 2008;93(1):151-152. Avatrombopag, an oral thrombopoietin receptor agonist: results of two double-blind, dose-rising, placebo-controlled Phase I studies. Prospective evaluation of the clinical usefulness of an antigen-specific assay (MAIPA) in idiopathic thrombocytopenic purpura and other immune thrombocytopenias. Safety and efficacy of romiplostim in splenectomized and non脾splenectomized patients with primary immune thrombocytopenia. [PubMed] [Google Scholar]293. [PubMed] [Google Scholar]240. Yang R, Li J, Jin J, et al. Morbidity and mortality in adults with idiopathic thrombocytopenic purpura. Facon T, Caulier MT, Wattel E, Joet JP, Bauters F, Fenaux P, Klaassen RJ, Doyle JJ, Krahn MD, Blanchette VS, Naglie G. Prevalence and clinical significance of elevated antinuclear antibody test in children and adult patients with idiopathic thrombocytopenic purpura. Care A, Pavord S, Knight M, Alfirevic Z, Spadaro C, Vulliamy A, Alberto Bosi A, et al. Integrated analysis of long-term safety in patients with immune thrombocytopenia (ITP) treated with the thrombopoietin (TPO) receptor agonist romiplostim. [PMC free article] [PubMed] [Google Scholar]256. 2016;103(1):44-52. [PubMed] [Google Scholar]137. 2013;88(12):1041-1044. 2003;122(5):818-824. Successful discontinuation of eltrombopag after complete remission in patients with primary immune thrombocytopenia. Analysis of E0-5D scores from two phase 3 clinical trials of romiplostim in the treatment of immune thrombocytopenia (ITP). A 2-year, longitudinal, prospective study of the effects of eltrombopag on bone marrow in patients with chronic immune thrombocytopenia. Manoharan A. DOPTOLET DOPTOLET® (avatrombopag) tablets, for oral use [prescribing information] Durham, NC: Nova Pharmaceuticals; 2019. 2012;95(6):652-659. How I treat refractory immune thrombocytopenia. [PubMed] [Google Scholar]215. Alloglu B, Ercan S, Tapani AE, Zengin T, Yazarli E, Dallar Y, et al. The American Society of Hematology 2011 evidence-based practice guideline for immune thrombocytopenia. 2010;115(2):166-186. Kovaleva L, Apte S, Damodar S, et al. Prospective evaluation of the immunobead assay for the diagnosis of adult chronic immune thrombocytopenic purpura (ITP). WinRho SDF prescribing information. 2017;14(1):e1002207. AKI-501 (YM477) a novel orally-active thrombopoietin receptor agonist. Standard-dose intravenous anti-D immunoglobulin versus intravenous immunoglobulin for immune thrombocytopenia in adults: a retrospective study. 2015;101(3):255-263. [PubMed] [Google Scholar]266. Mahévas M, Van Eckhoudt S, Moulis G, et al. Grimaldi-Bensouda L, Nordon C, Leblanc T, et al. Cohen YC, Djubegovic B, Shamai-Lubovitz O, Mozes B. Relative potency of the thrombopoietin receptor agonists eltrombopag, avatrombopag and romiplostim in a patient with chronic immune thrombocytopenia. Crit Care Med. Measurements of immature platelets with haematology analysers are of limited value to separate immune thrombocytopenia from bone marrow failure. 2001;97(9):2549-2554. The efficacy of rituximab in patients with splenectomized refractory chronic idiopathic thrombocytopenic purpura. Immune thrombocytopenia in adults: a prospective cohort study of clinical features and predictors of outcome. Severe immune thrombocytopenia in pregnancy treated with eltrombopag - a case report. Trotter P, Hill QA. 2013;98(11):895-897. [PubMed] [Google Scholar]290. ; Gruppo Italiano Malattie EMatologiche dell'Adulto (GIMEMA) Anemia and Thrombocytopenias Working Party. Idiopathic thrombocytopenic purpura: current concepts in pathophysiology and management. [PMC free article] [PubMed] [Google Scholar]159.